



Asus EeeBook X205TA Battery Replacement

Use this guide to replace the battery in your Asus EeeBook X205TA.

Written By: Lorena Santiago



INTRODUCTION


This guide will help you replace your Asus EeeBook X205TA in case your battery is dead, dying, or won't hold a charge. If disposing battery, please follow the laws and regulations for proper disposal.



TOOLS:

- [iFixit Opening Tools](#) (1)
 - [Phillips #2 Screwdriver](#) (1)
-

Step 1 — Battery



- Unscrew all ten 2mm screws located on the bottom of the laptop using a Phillips #2 screwdriver.

Step 2



- Insert the plastic opening tool in the crevice between the back of the laptop and the rest of the case.
- Carefully pry open the case from several points.
- ⓘ Slowly remove the back of the laptop, revealing the parts inside.

Step 3



- Unscrew all six 2mm screws using Philips #2 screws along the edges of the L-Shaped battery.

i Any tape or cords that run along the battery should be carefully pushed to the side.

Step 4



- Disconnect the battery from the motherboard by pulling the No-Fuss Ribbon cables out of the connector.

Step 5



- Carefully lift the battery out of the laptop.

Follow the guide in reverse order to reassemble the device.

This document was last generated on 2017-06-22 11:04:56 PM.